

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Mail](#) [more ▾](#)

[kuen_lu@hotmail.com](#) | [Web History](#) | [My Account](#) | [Sign out](#)

[Google](#)

"object oriented" "shape graph" compiling alias

[Advanced Search](#)
[Preferences](#)

[New! View and manage your web history](#)

Web Results 1 - 10 of 10 for "**object oriented**" "**shape graph**" compiling alias set "**memory regions**". (0.)

Region-based memory management for object-oriented programs ...

In another embodiment, a method for **compiling** an **object-oriented** program for a By creating **shape graph** nodes from the **alias set** with connecting edges ...

www.freepatentsonline.com/20050065973.html - 70k - [Cached](#) - [Similar pages](#) - [Note this](#)

[PDF] Typestate Checking of Machine Code

File Format: PDF/Adobe Acrobat - [View as HTML](#)

originating from **object-oriented** source code. The use of symbolic range analysis An **alias** context [5] is a **set** of potential aliases (I eq I') (or ...

www.cs.wisc.edu/wpis/papers/esop01.pdf - [Similar pages](#) - [Note this](#)

[PS] S -C M C Z X A dissertation submitted in partial fulfillment of ...

File Format: Adobe PostScript - [View as Text](#)

An **alias** context [16] is a **set** of potential aliases (I eq I') (or potential shows the SPARC machine code that is produced by **compiling** the program with ...

www.cs.wisc.edu/wpis/papers/xu_thesis.ps - [Similar pages](#) - [Note this](#)

[[More results from www.cs.wisc.edu](#)]

[PDF] Detecting Synchronization Defects in Multi-Threaded Object ...

File Format: PDF/Adobe Acrobat

Are multi-threaded **object-oriented** programs with a variety of In addition, the properties are merged such that the resulting **alias set** ...

www.lst.inf.ethz.ch/research/publications/publications/DISS_ETH_15524/DISS_ETH_15524.pdf - [Similar pages](#) - [Note this](#)

[PDF] Pointer Analysis for Structured Parallel Programs

File Format: PDF/Adobe Acrobat - [View as HTML](#)

program and produce a points-to graph or **set** of **alias** pairs for each program Escape analysis for **object oriented** languages. Application to Java. ...

www.cag.lcs.mit.edu/~rinard/paper/toplas03PointerAnalysis.pdf - [Similar pages](#) - [Note this](#)

[PS] Pointer Analysis for Structured Parallel Programs

File Format: Adobe PostScript - [View as Text](#)

This representation is similar to the storage **shape graph** [Chase et al. produce a points-to graph or **set** of **alias** pairs for each program point [Landi ...

cag.csail.mit.edu/~rinard/paper/toplas03PointerAnalysis.ps - [Similar pages](#) - [Note this](#)

[PS] Pointer Analysis for Structured Parallel Programs

File Format: Adobe PostScript - [View as Text](#)

and to the static **shape graph** [Sagiv et al. 1998] used in shape analysis produce a points-to graph or **set** of **alias** pairs for each program point ...

www.cs.cornell.edu/~rugina/papers/toplas03.ps - [Similar pages](#) - [Note this](#)

[PS] Static Analysis of Memory Accesses in Multithreaded and Recursive ...

File Format: Adobe PostScript

graph [25] and to the static **shape graph** [96] used in shape analysis gram and produce a points-to graph or **set** of **alias** pairs for each program ...

www.cs.cornell.edu/~rugina/papers/thesis.ps - [Similar pages](#) - [Note this](#)

[PS] [S -C M C Z X A dissertation submitted in partial fulfillment of ...](#)

File Format: Adobe PostScript - [View as Text](#)

the **shape graph** that arises after statement 8 in Figure 4.4, one can determine that the access to An **alias** context [16] is a **set** of potential aliases ...

<ftp://ftp.cs.wisc.edu/paradyn/papers/Xu00Dissertation.ps> - [Similar pages](#) - [Note this](#)

[PS] [A V P C by Nurit Dor](#)

File Format: Adobe PostScript

Formally, a **shape graph** is a directed graph with a **set** of shape-nodes, variable-edges
lations and by supporting **object oriented** programming. ...

www.cs.tau.ac.il/~msagiv/PhDThesis/NuritDorThesis.ps - [Similar pages](#) - [Note this](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 10 already displayed.

If you like, you can repeat the search with the omitted results included.

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

+"object oriented" +"shape graph" +compiling +alias +set +"

SEARCH



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used **object oriented shape graph compiling alias set memory regions**

Found 1 of 201,890

Sort results by

relevance ☒



[Save results to a Binder](#)

Display results

expanded form ☒



[Search Tips](#)

☐ Open results in a new window

[Try an Advanced Search](#)

[Try this search in The ACM Guide](#)

Results 1 - 1 of 1

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Pointer analysis for structured parallel programs](#)



Radu Rugina, Martin C. Rinard

January 2003 **ACM Transactions on Programming Languages and Systems (TOPLAS)**,
Volume 25 Issue 1

Publisher: ACM Press

Full text available: pdf(383.29 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper presents a novel interprocedural, flow-sensitive, and context-sensitive pointer analysis algorithm for multithreaded programs that may concurrently update shared pointers. The algorithm is designed to handle programs with structured parallel constructs, including fork-join constructs, parallel loops, and conditionally spawned threads. For each pointer and each program point, the algorithm computes a conservative approximation of the memory locations to which that pointer may point. Th ...

Keywords: Pointer analysis

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used **object oriented shape graph compiling memory regions**

Found 1 of 201,890

Sort results by



[Save results to a Binder](#)

[Try an Advanced Search](#)

Display results



[Search Tips](#)

[Try this search in The ACM Guide](#)

☐ Open results in a new window

Results 1 - 1 of 1

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Pointer analysis for structured parallel programs](#)



Radu Rugina, Martin C. Rinard

January 2003 **ACM Transactions on Programming Languages and Systems (TOPLAS)**,
Volume 25 Issue 1

Publisher: ACM Press

Full text available: [pdf\(383.29 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper presents a novel interprocedural, flow-sensitive, and context-sensitive pointer analysis algorithm for multithreaded programs that may concurrently update shared pointers. The algorithm is designed to handle programs with structured parallel constructs, including fork-join constructs, parallel loops, and conditionally spawned threads. For each pointer and each program point, the algorithm computes a conservative approximation of the memory locations to which that pointer may point. Th ...

Keywords: Pointer analysis

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((graph <in>metadata) <and> (shape<in>metadata))<and> (memory regions..."

e-mail

Your search matched **0** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance with your search.

Indexed by
[Help](#) [Contact Us](#) [Privacy & Policy](#)

© Copyright 2006 IEEE –


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results**BROWSE****SEARCH****IEEE XPLORE GUIDE**

Results for "((shape<in>metadata) <and> (graph<in>metadata))<and> (memory<in>...)"

Your search matched **12** of **1583645** documents.

e-mail

A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

((shape<in>metadata) <and> (graph<in>metadata))<and> (memory<in>metadat

Search☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

[view selected items](#)[Select All](#) [Deselect All](#)

- ☐ 1. **Design of cooperative microrobots with impedance optimization**
Calin, M.; Chaillet, N.; Agnus, J.; Bourjault, A.;
[Intelligent Robots and Systems, 1997. IROS '97. Proceedings of the 1997 IEEE International Conference on](#)
Volume 3, 7-11 Sept. 1997 Page(s):1312 - 1317 vol.3
Digital Object Identifier 10.1109/IROS.1997.656440
[AbstractPlus](#) | Full Text: [PDF](#)(856 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **A new class of fast shape-adaptive orthogonal transforms and their appli based image compression**
Stasidski, R.; Konrad, J.;
[Circuits and Systems for Video Technology, IEEE Transactions on](#)
Volume 9, Issue 1, Feb. 1999 Page(s):16 - 34
Digital Object Identifier 10.1109/76.744272
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(892 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 3. **New graph transformation schemes in graph-based memory allocation m indirect addressing DSP**
Sugino, N.; Matsuura, T.; Nishihara, A.;
[Circuits and Systems, 2005. ISCAS 2005. IEEE International Symposium on](#)
23-26 May 2005 Page(s):4855 - 4858 Vol. 5
Digital Object Identifier 10.1109/ISCAS.2005.1465720
[AbstractPlus](#) | Full Text: [PDF](#)(176 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 4. **Model-based orientation-independent 3-D machine vision techniques**
de Figueiredo, R.J.P.; Kehtarnavaz, N.;
[Aerospace and Electronic Systems, IEEE Transactions on](#)
Volume 24, Issue 5, Sept. 1988 Page(s):597 - 607
Digital Object Identifier 10.1109/7.9688
[AbstractPlus](#) | Full Text: [PDF](#)(1200 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 5. **Dataflow Mini-Graphs: Amplifying Superscalar Capacity and Bandwidth**
Bracy, A.; Prahlad, P.; Roth, A.;
[Microarchitecture, 2004. MICRO-37 2004. 37th International Symposium on](#)

04-08 Dec. 2004 Page(s):18 - 29

Digital Object Identifier 10.1109/MICRO.2004.15

[AbstractPlus](#) | Full Text: [PDF](#)(200 KB) IEEE CNF

[Rights and Permissions](#)

- ☐ **6. Reliable multicast via face-aware routing**
Qingfeng Huang; Chenyang Lu; Roman, G.-C.;
[INFOCOM 2004. Twenty-third Annual Joint Conference of the IEEE Computer Communications Societies](#)
Volume 3, 2004 Page(s):2108 - 2118 vol.3
Digital Object Identifier 10.1109/INFCOM.2004.1354618
[AbstractPlus](#) | Full Text: [PDF](#)(834 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **7. The reconfigurable streaming vector processor (RSVP/spl trade/)**
Ciricescu, S.; Essick, R.; Lucas, B.; May, P.; Moat, K.; Norris, J.; Schuette, M.;
[Microarchitecture, 2003. MICRO-36. Proceedings. 36th Annual IEEE/ACM International Symposium on](#)
2003 Page(s):141 - 150
Digital Object Identifier 10.1109/MICRO.2003.1253190
[AbstractPlus](#) | Full Text: [PDF](#)(430 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **8. Spanning-tree based coverage of continuous areas by a mobile robot**
Gabriely, Y.; Rimon, E.;
[Robotics and Automation, 2001. Proceedings 2001 ICRA. IEEE International Conference on](#)
Volume 2, 2001 Page(s):1927 - 1933 vol.2
Digital Object Identifier 10.1109/ROBOT.2001.932890
[AbstractPlus](#) | Full Text: [PDF](#)(716 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **9. Rapid prototyping of parallel architectures using DG2VHDL: recent advances**
Stone, A.; Manolakos, E.S.;
[Signal Processing Systems, 2000. SiPS 2000. 2000 IEEE Workshop on](#)
11-13 Oct. 2000 Page(s):653 - 662
Digital Object Identifier 10.1109/SIPS.2000.886763
[AbstractPlus](#) | Full Text: [PDF](#)(552 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **10. Design and control of compliant microrobots**
Calin, M.; Chaillet, N.; Bourjault, A.; Bertsch, A.; Zissy, S.;
[Emerging Technologies and Factory Automation, 1996. EFTA '96. Proceedings. Conference on](#)
Volume 2, 18-21 Nov. 1996 Page(s):489 - 492 vol.2
Digital Object Identifier 10.1109/ETFA.1996.573855
[AbstractPlus](#) | Full Text: [PDF](#)(404 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **11. A modular systolic 2-D torus for the general knapsack problem**
Andonov, R.; Gruau, F.;
[Application Specific Array Processors, 1991. Proceedings of the International Conference on](#)
2-4 Sept. 1991 Page(s):458 - 472
Digital Object Identifier 10.1109/ASAP.1991.238902
[AbstractPlus](#) | Full Text: [PDF](#)(496 KB) IEEE CNF
[Rights and Permissions](#)
- 12. Solving the Register Allocation Problem for Embedded Systems Using an Evolutionary Algorithm**
Topcuoglu H. R. ; Demiroz B. ; Kandemir M. ;

IEEE Transactions on Evolutionary Computation : Accepted for future publicati

Volume PP, Issue 99, 2007 Page(s):1 - 1

Digital Object Identifier 10.1109/TEVC.2007.892766

[AbstractPlus](#) | Full Text: [PDF](#)(904 KB) IEEE JNL



[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2006 IEEE –